



MOTOTRBO PROFESSIONAL SERIES TWO-WAY RADIO ACCESSORIES

UNLEASH THE POWER
OF YOUR RADIO



TABLE OF CONTENTS

MOTOTRBO R7 PORTABLE RADIO ACCESSORIES	3	MOTOTRBO PORTABLE RADIO ACCESSORIES	15	MOTOTRBO MOBILE RADIO ACCESSORIES	55
Remote Speaker Microphones (RSM)	4	Remote Speaker Microphones (RSM)	17	Microphones	57
Operations Critical Wireless Bluetooth Accessories	5	Remote Speaker Microphones Accessories with Standard 3.5mm Jack	20	Microphone Accessories	58
Surveillance Accessories and Earpieces	6	Remote Speaker Microphones Accessories with Threaded 3.5mm	20	External Push-to-Talk (PTT)	58
Remote Speaker Microphones Accessories with Standard 3.5mm Jack	6	Public Safety Microphone Antennas	21	Long Range Wireless Mobile Accessory Kits	59
Surveillance Accessory Replacement Kits	7	Public Safety Microphones	22	Long Range Wireless Chargers and Replacement Parts	60
Remote Speaker Microphones Replacement Kits	7	Surveillance Accessories and Earpieces	23	Operations Critical Wireless Bluetooth® Accessories	61
Headsets	8	Surveillance Accessory Replacement Kits	25	Operations Critical Wireless Replacement Parts	63
3M Peltor Headsets	8	Earpieces	27	Control Station Accessories	64
PTT Adapter Configurations	8	Mag One™ Earpieces	27	Installation and Mounting Accessories	65
Batteries	9	Headsets	28	External Speakers	65
Charging Solutions (Single Unit)	9	Tactical Headsets	29	Cables	66
Charging Solutions Replacement Kits	10	Mag One™ Headsets	29	Antennas	67
Charging Solutions (Multi-Unit)	11	Heavy Duty Headsets	30	Antenna Accessories	70
IMPRES Battery Management Tools	12	Audio Accessory Adapters	30	GLOSSARY	71
Carry Solutions	13	3M Peltor Headsets	31		
Programming Cables	13	PTT Adapter Configurations	31		
Screen Protectors	13	3M Peltor Headsets – RSM Configurations	32		
Antennas	14	Headset Replacement Parts	32		
Antennas Accessories	14	Hearing Protection Accessories	32		
		Operations Critical Wireless Bluetooth® Accessories	33		
		Enhanced Operations Critical Wireless	36		
		Operations Critical Wireless Completely Discreet Kit	36		
		Operations Critical Wireless Replacement Parts	37		
		Motorola Original® Two-Way Radio Batteries	38		
		Charger Solutions	41		
		IMPRES Battery Management Tools	44		
		Carry Solutions	45		
		Screen Protectors	48		
		Antennas	48		
		Antenna Accessories	53		
		Programming Cables	54		



MOTOTRBO R7 PORTABLE RADIO ACCESSORIES



MOTOTRBO R7 RADIO ACCESSORIES

REMOTE SPEAKER MICROPHONES

The MOTOTRBO R7 has a re-engineered accessory port that adds more robustness and longevity when connected to remote speaker microphones and other compatible accessories.

COMPATIBILITY	ACCESSORY	FEATURES									
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X W X D
R7	RM780 IMPRES Windporting Remote Speaker Microphone, large, work-when-wet, IP68	PMMN4128	●	●	Windporting with noise suppression	●	2 programmable + 1 emergency	●	IP68	UL	Large 77 x 58 x 25 (without clip)
	RM760 IMPRES Windporting Remote Speaker Microphone, large basic, work-when-wet, IP68	PMMN4140	●	●	Windporting with noise suppression		●	IP68	UL	Large 77 x 58 x 25 (without clip)	
	RM730 IMPRES Windporting Remote Speaker Microphone, small, IP68	PMMN4131	●	●	Windporting with noise suppression	Emergency	●	IP68	UL	Small 70 x 55 x 22 (without clip)	

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



New GCAI Mini Connector

Compact wired accessory connector



RM780 RSM



LOUD AND CLEAR AUDIO

When pairing a RM780, RM760, or RM730 Remote Speaker Microphone with the R7 radio, the enhanced single input noise cancelling feature will suppress the background noise for clearer communication.

Innovative audio technology enables you to hear and be heard over crowd noise, machinery and blaring sirens. Motorola Solutions' Wind and Water Shielding technology ensures audio is loud and clear.

Rugged and dependable, the RM Series Remote Speaker Microphones are IP68 rated for use in harsh environments and weather. The RM780 and RM760 also meet the work-when-wet requirements having enhanced water drainage and top quality materials to ensure you get the best audio experience.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.



MOTOTRBO R7 RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

Connect your MOTOTRBO R7 radio to the WM500 Wireless Remote Speaker Microphone with a built in battery that lasts up to 40 hours.

COMPATIBILITY	ACCESSORY	FEATURES												VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 R7	WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece) (Requires minimum firmware of R04.00.00)	PMMN4127	N/A	Omni directional, Windporting	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	STAND ARD	30	IP67	N/A							

Verify the firmware on the WM500 RSM and update the firmware to R04.00.00 by downloading the Accessory Manager App, found in the Google Play Store.



Scan QR Code to download the Accessory Manager Application

MOTOTRBO R7 RADIO ACCESSORIES

SURVEILLANCE ACCESSORIES AND EARPieces

COMPATIBILITY	ACCESSORY	PART NUMBER	FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
R7	IMPRES™ 1-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8341	●	●		Clear Rubber Eartip			UL		●	●	●	●	●	●
	IMPRES™ 2-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8342	●	●		Clear Rubber Eartip				UL		●	●	●	●	
	IMPRES™ 3-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8343	●	●		Clear Rubber Eartip				UL		●	●	●	●	
	IMPRES™ 2-Wire Swivel Earhook with Removable Eartip, Loud Audio, Black	PMLN8295	●	●		Removable Black Rubber Eartip				UL		●	●	●	●	
	IMPRES™ 1-Wire Single Earbud with Removable Earhook, Loud Audio, Black	PMLN8337	●	●		Single Earbud					●	●	●	●	●	●

REMOTE SPEAKER MICROPHONES ACCESSORIES WITH STANDARD 3.5MM JACK

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY	PART NUMBER	FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
R7	Receive-Only Earpiece with Translucent Tube, Loud Audio (for PMMN4128, PMMN4131, PMMN4140)	PMLN8120	Clear Rubber Eartip	UL
	Receive-Only Earpiece with Translucent Tube and Rubber Eartip (For PMMN4127)	PMLN7560	Clear Rubber Eartip	

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO R7 RADIO ACCESSORIES

SURVEILLANCE ACCESSORY REPLACEMENT KITS

COMPATIBILITY	ACCESSORY	FEATURES		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECE
R7	Replacement Quick Disconnect Translucent Tube with Clear Rubber Eartip	PMLN8092	Clear Rubber Eartip	PMLN8120 PMLN8341 PMLN8342 PMLN8343
	Replacement Rubber Eartip, Small (5 per pack)	PMLN8068		
	Replacement Rubber Eartip, Medium (5 per pack)	PMLN8069	Black Rubber Eartip	PMLN8295
	Replacement Rubber Eartip, Large (5 per pack)	PMLN8070		
	Replacement Rubber Sleeve, Small (25 per pack)	PMLN8363		
	Replacement Rubber Sleeve, Medium (25 per pack)	PMLN8364	Black Rubber Sleeve Clear Rubber Eartip	PMLN8337
	Replacement Rubber Sleeve, Large (25 per pack)	PMLN8365		

REMOTE SPEAKER MICROPHONES REPLACEMENT KITS

COMPATIBILITY	ACCESSORY	PART NUMBER
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R7	Replacement Coil Cord Kit for PMMN4128, PMMN4131, PMMN4140	PMKN4232
	Low Profile Swivel Clip for PMMN4128, PMMN4131, PMMN4140	PMLN8121
	Replacement Dust Cover (10 per pack) for PMMN4128, PMMN4140	PMLN8122
	Replacement Dust Cover (10 per pack) for PMMN4131	PMLN8253





HEADSETS

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each verticals listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
 R7	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8085	Behind-the-Head	Dual-Muff	●	●	24 dB	Boom	On Ear Cup	Heavy Duty	UL	●	●	●	●	●	●	●	
	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8086	Over-the-Head	Dual-Muff	●	●	24 dB	Boom	On Ear Cup	Heavy Duty	UL	●	●	●	●	●	●	●	

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

3M PELTOR HEADSETS

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments.

COMPATIBILITY	ACCESSORY		FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	

PTT ADAPTER CONFIGURATIONS

 R7	 CH-3 Series Over-the-Head Headset with Nexus Connector (See user guide for replacement parts)	PMLN8265	Over-the-Head	Nexus	Dual-Ear	26 dB	Boom	Requires PTT Adapter PMLN8297		●	●	●	●				
	 CH-3 Series Neckband Headset with Nexus Connector (See user guide for replacement parts)	PMLN8266	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		●	●	●	●				
	 CH-3 Series Hard Hat Attached with Nexus Connector (Hat not included) (See user guide for replacement parts)	PMLN8267	Hard Hat Attached	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		●	●	●	●				
	 PTT Nexus Adapter (Requires headset - options listed above)	PMLN8297	N/A	N/A	N/A	N/A	N/A	N/A		●	●	●	●				

MOTOTRBO R7 RADIO ACCESSORIES

BATTERIES

Slim, high capacity batteries, powered by new lithium cells. Our batteries are uniquely designed and rigorously tested, not compromising on quality.

COMPATIBILITY	ACCESSORY		FEATURES									
	PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)	
R7		IMPRES Li-Ion 2200mAh IP68 Slim Battery	PMNN4807	•	Li-Ion	2200	116 x 55 x 17	118		IP68	-20°C to +60°C	
		IMPRES Li-Ion 2850mAh IP68 Slim Battery	PMNN4809	•	Li-Ion	2850	116 x 55 x 17	135		IP68	-20°C to +60°C	
		IMPRES Li-Ion 3200mAh IP68 TIA4950 Battery	PMNN4810	•	Li-Ion	3200	116 x 55 x 23	168	UL	IP68	-20°C to +60°C	

* MOTOTRBO R7 IMPRES batteries comes with self-calibration feature when used with IMPRES Single-Unit Charger and IMPRES 2 Multi-Unit Fast Charger (SW ver V2.01 and above) listed under Charging Solutions for MOTOTRBO R7.

** HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

CHARGING SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it. Charge a single battery or while it is attached to your R7 radio.

COMPATIBILITY	ACCESSORY		FEATURES						
	PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
R7		IMPRES Single-Unit Charger, US/CAN Plug	PMPN4576A	•	Li-Ion, NiMh	120 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, ARG Plug	PMPN4573A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, BRZ Plug	PMPN4575A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, UK Plug	PMPN4572A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, EURO Plug	PMPN4577A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, AU/NZ Plug	PMPN4571A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, JAP Plug	PMPN4578A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, KOR Plug	PMPN4574A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, CHN Plug	PMPN4579A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1	
		IMPRES Single-Unit Charger, INDIA Plug	PMPN4582A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1	

WHAT IS IMPRES SELF-CALIBRATION?




IMPRES batteries with self calibration feature can be identified through this logo on the battery label. These batteries do not require long hours of IMPRES calibration or recondition process, when charged with:

- IMPRES Single Unit Charger



- IMPRES 2 Multi Unit Charger (SW ver V2.01* and above)


* If the R7 IMPRES battery is initially inserted into the charger with older software, it will begin the initialization process with a solid yellow indication. Do not remove the battery from the charger until the charger indicates solid green. This process may take up to 8 hours.



HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you would need to buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you will get more than an extra year out of every IMPRES battery.

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER



CHARGE CYCLES

MOTOTRBO R7 RADIO ACCESSORIES

CHARGING SOLUTIONS REPLACEMENT KITS

ACCESSORY	FEATURES					
DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Replacement Power Supply for IMPRES Single-Unit Charger, US/CAN Plug	25009297001			120 VAC		
Replacement Power Supply for IMPRES Single-Unit Charger, ARG Plug	PS000037A04					
Replacement Power Supply for IMPRES Single-Unit Charger, BRZ Plug	EPNN9356A					
Replacement Power Supply for IMPRES Single-Unit Charger, UK Plug	PS000037A02					
Replacement Power Supply for IMPRES Single-Unit Charger, EURO Plug	PS000037A01					
Replacement Power Supply for IMPRES Single-Unit Charger, AU/NZ Plug	PS000037A03					
Replacement Power Supply for IMPRES Single-Unit Charger, JAP Plug	PMLN5229A					
Replacement Power Supply for IMPRES Single-Unit Charger, KOR Plug	PS000037A06					
Replacement Power Supply for IMPRES Single-Unit Charger, CHN Plug	PS000037A05					
Replacement Power Supply for IMPRES Single-Unit Charger, INDIA Plug	EPNN9295A					



VEHICLE CHARGING SOLUTIONS

COMPATIBILITY	ACCESSORY	FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7	IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
	Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1

MOTOTRBO R7 RADIO ACCESSORIES

CHARGING SOLUTIONS

Charge up to 6 R7 radios or batteries simultaneously with our IMPRES 2 Multi-Unit Fast Charger.

COMPATIBILITY	ACCESSORY	FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7	IMPRES 2 Multi-Unit Fast Charger with 1 Display, US/CAN Plug*	PMPN4284	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, UK Plug*	PMPN4290	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, EURO Plug*	PMPN4289	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, AU/NZ Plug*	PMPN4293	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, ARG Plug*	PMPN4291	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, BZL Plug*	PMPN4292	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, JAP Plug*	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, KOR Plug*	PMPN4294	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, CHN Plug*	PMPN4296	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, TW Plug*	PMPN4462	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					
	Interchangeable Charging Pocket	AS000129A01					
	Replacement Power Supply, 100-240 VAC without Power Cord	PS000242A01			100-240 VAC		

*MUC Software version should be upgraded to v2.02. Chargers can be updated to the latest software version using the [MSI Charger Reprogrammer Installation Software](#). An installation guide is included in the software download package.

ACCESSORY	FEATURES					
DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Power Cord for IMPRES 2 Multi-Unit Charger, US/CAN Plug	3087791G01					2300
Power Cord for IMPRES 2 Multi-Unit Charger, UK Plug	3087791G07					2300
Power Cord for IMPRES 2 Multi-Unit Charger, EURO Plug	3087791G04					2300
Power Cord for IMPRES 2 Multi-Unit Charger, AU/NZ Plug	3087791G10					2300
Power Cord for IMPRES 2 Multi-Unit Charger, BZL Plug	3087791G22					2300
Power Cord for IMPRES 2 Multi-Unit Charger, JAP Plug	3087791G20					2300
Power Cord for IMPRES 2 Multi-Unit Charger, KOR Plug	3087791G16					2300
Power Cord for IMPRES 2 Multi-Unit Charger, CHN Plug	CB000199A01					2500
Power Cord for IMPRES 2 Multi-Unit Charger, TW Plug	CB000805A01					2500



MOTOTRBO PORTABLE RADIO ACCESSORIES


IMPRES BATTERY MANAGEMENT TOOLS

The IMPRES Battery Fleet Management Software is available to download from the Motorola Solutions' [website](#). Select "IMPRES BATTERY FLEET MANAGEMENT SOFTWARE DOWNLOAD- FULL."

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 R7	IMPRES Battery Fleet Management Entitlement ID (EID), NA/CAN	HKVN4036
	IMPRES Battery Fleet Management Entitlement ID (EID), EMEA	HKVN4037
	IMPRES Battery Fleet Management Entitlement ID (EID), LA	HKVN4038
	IMPRES Battery Fleet Management Entitlement ID (EID), Asia	HKVN4039

With the unique IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

IMPRES BATTERY FLEET MANAGEMENT VERSION 4.0 COMING SOON!



MOTOTRBO R7 RADIO ACCESSORIES

CARRY SOLUTIONS

Secure your R7 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY	ACCESSORY	FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY
 R7	Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN8300	Hard Leather	2.5	Swivel	Display
	Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8299	Hard Leather	3	Swivel	Display
	Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8301	Hard Leather	3	Fixed	Display
	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN8303	Hard Leather	2.5	Swivel	Non-Display
	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN8302	Hard Leather	3	Swivel	Non-Display
	Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN8304	Hard Leather	3	Fixed	Non-Display
	Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel	Display/Non Display
	Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel	Display/Non Display
	Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2		Display/Non Display
	Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5		Display/Non Display

PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 R7	Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265



COMPATIBILITY	ACCESSORY	FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL
 R7	Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
	Adjustable Nylon Carrying Strap	NTN5243	Nylon
	Leather Radio Strap	RLN6486	Leather
	Leather Radio Strap - XL	RLN6487	Leather
	Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather
	Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon
	Mini GCAI Dust Cover Whenever, accessory is not in use, users are advised to install dust cover	PMHN4429	Plastic

SCREEN PROTECTORS

Protect your radio screen from scratches with our clear screen protector.

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 R7	Screen Protector, Clear (single pack - Qty 1)	AY000808A01
	Screen Protector, Clear (bulk pack - Qty 10)	AY000808A02
	Screen Protector, Clear (bulk pack - Qty 50)	AY000808A03



MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS

COMPATIBILITY	ACCESSORY	FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
R7		UHF SHORT Stubby Antenna (400-450 MHz)	AN000350A01	UHF	400-450	6	Short Stubby
		UHF SHORT Stubby Antenna (400-527 MHz)	AN000351A01	VHF	440-490	6	Short Stubby
		UHF Stubby Wideband (400-527 MHz)	AN000348A01	VHF	400-527	9	Stubby

ANTENNAS ACCESSORIES

COMPATIBILITY	ACCESSORY	PART NUMBER	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	
R7		Gray Antenna ID Bands (pack of 10pcs)	32012144001
		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
		Green Antenna ID Bands (pack of 10pcs)	32012144003
		Blue Antenna ID Bands (pack of 10pcs)	32012144004
		Purple Antenna ID Bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY	FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
R7		UHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
		VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		VHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Whip
		UHF/GPS Combination Stubby Antenna (400-450 MHz)	PMAE4069	UHF	403-450	11	Stubby
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	11	Stubby
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	403-433	9	Stubby